

Teknisk spesifikasjon Storsalen, Chateau Neuf Oslo

LYDTEKNISK UTSTYR STORSAL CHATEAU NEUF

FOH:

Soundcraft VI6 with 64/24 stagerack

8Stereo Lexicon FX maskiner(med tap delay) og BSS 960 EQ er inkludert i mikserne.

Speakers:

Line Array:

24x Adamson S10 (12 per side)

Frontfill:

7x Adamson Point 8

Centerfill:

6x Adamson IS7

1x Adamson IS10p

Delay:

8x Adamson IS7p

Subs

8x Adamson S119 (4 per side in cardiode)

Amplifiers:

6 Lab Gruppen PLM+ 12k44

1x Lab Gruppen D80 (Centerfill)

5x Lab Gruppen D40 (Frontfill and Delay)

System matrix:

2x Lab Gruppen LM44

Monitors:

14stk AIS AI-122W on 8 feeds

Monitor Amplifiers

8stk CROWN I-TECH IT 4000

Microphones/DI

8stk Shure SM58

4x wireless Shure ULX-D Beta 58

8x wireless Countryman H6 and 8x ULX-D body pack

NOTE: Only 8 ULX-D receivers installed

10stk Shure SM57

2stk Shure B52

2stk Shure B91

1stk Shure SM86

4stk Senheiser e904

3stk Senheiser e906

4stk AKG C480B

2stk AKG C414B

14stkBSS AR 133 aktiv DI boks

All Microphones and DIs are available only on request.

LYS

Grand MA2 onPC with command wing in flight available only on request.

Dimmere:

192 kanaler Compulite/DDT digidim. Harting multi

40 x Par64 cp62

6 x Par64 cp62 floor

6 x Par64 cp95e floor

4 x Strand fresnell 2k.

6 x Spotlight fresnell 1k

12x Spotlight zoom profil 1k

4 x Selecon Pacific zoom profil 14-35 1k

1x ADB zoom profil 15-31 1,2k

4x sidelystørn på hjul. Div. goboer og iris.

4 stk - Autoyoke Source four 19 grader med scroller

6 x Martin Aura XB